

**Search Results**

[BROWSE](#)

[SEARCH](#)



[IEEE XPLORE GUIDE](#)

[SUPPORT](#)

Results for "(un\*channel\*<and>(pos or packet\* <near/3> sonet))"

Your search matched 3 of 1260866 documents.

A maximum of 250 results are displayed, 25 to a page, sorted by Publication year in Descending order.


 e-mail 
  print

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

(un\*channel\*<and>(pos or packet\* <near/3> sonet)) 

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- ☐ 1. **A new approach for automatic grooming of SONET circuits to optical express links**  
 Widjaja, I.; Saniee, I.; Qian, L.; Elwalid, A.; Ellson, J.; Cheng, L.;  
 Communications, 2003. ICC '03. IEEE International Conference on  
 Volume 2, 11-15 May 2003 Page(s):1407 - 1411 vol.2  
[AbstractPlus](#) | Full Text: [PDF](#)(270 KB) IEEE CNF
- ☐ 2. **IEEE standard for information technology - telecommunications and information exchange between systems - local and metropolitan area networks specific requirement 15.4: wireless medium access control (MAC) and physical layer (PHY) specific for low-rate wireless personal area networks (LR-WPANs)**  
 IEEE Std 802.15.4-2003  
 2003 Page(s):0\_1 - 670  
[AbstractPlus](#) | Full Text: [PDF](#)(4938 KB) IEEE STD
- ☐ 3. **IEEE standards for local and metropolitan area networks: distributed queue dual b (DQDB) subnetwork of a metropolitan area network (MAN)**  
 IEEE Std 802.6-1990  
 3 July 1991  
[AbstractPlus](#) | Full Text: [PDF](#)(14140 KB) IEEE STD



[Help](#) | 
 [Contact Us](#) | 
 [Privacy & Security](#)

© Copyright 2005 IEEE -- All Rights Reserved

EAST 09/987,830

OK 1/21/05

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4738	network\$3 NEAR2 schematic\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 18:18
L2	✓ 17	network\$3 NEAR2 schematic\$1 SAME (OC\$3 OR STS\$3 OR STM\$3 OR OC\$3c OR STS\$3c OR STM\$3c)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 18:25
L3	✓ 42	network\$3 NEAR2 schematic\$1 SAME window\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 18:25
L4	1222	(view\$2 OR display\$3 OR visual\$6) WITH network\$3 WITH topolog\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 18:27
L7	✓ 98	(view\$2 OR display\$3 OR visual\$6) WITH network\$3 WITH topolog\$3 AND (OC\$3 OR STS\$3 OR STM\$3 OR OC\$3c OR STS\$3c OR STM\$3c) AND (OC1\$3 OR OC-\$3 OR STS\$3 OR STM\$3 OR OC\$3c OR STS\$3c OR STM\$3c)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 18:49
L12	✓ 99	(view\$2 OR display\$3 OR visual\$6) WITH schematic\$1 AND (OC1\$3 OR OC-\$3 OR STS\$3 OR STM\$3 OR OC\$3c OR STS\$3c OR STM\$3c) WITH schematic\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 18:51
L13	✓ 48	(view\$2 OR display\$3 OR visual\$6) WITH schematic\$1 AND (OC1\$3 OR OC-\$3 OR STS\$3 OR STM\$3 OR OC\$3c OR STS\$3c OR STM\$3c) WITH schematic\$1 AND network\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 18:56
L14	✓ 49	(view\$2 OR display\$3 OR visual\$6) WITH window\$1 AND (OC1\$3 OR OC-\$3 OR STS\$3 OR STM\$3 OR OC\$3c OR STS\$3c OR STM\$3c) WITH window\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 18:56
S1	23321	nicholas.in.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 14:00
S2	1039	zhan.in.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 14:01

S3	✓ 3	falkenham.in.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 14:02
S4	5199	katz.in.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 14:01
S5	68368	li.in.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 14:01
S6	20830	dale.in.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 14:01
S7	✓ 5	(S1 OR S2 OR S4 OR S5 OR S6) AND (channel\$4 WITH un\$1channel\$4)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 14:04
S10	2	((("5226120") or ("5440540"))).PN.	USPAT	OR	OFF	2005/11/09 14:07
S11	28775	packet ADJ2 SONET\$1 OR packet\$1over\$1SONET OR POS	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:36
S12	7634	709/223-224.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 14:08
S13	✓ 105	S12 AND S11	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 14:47
S14	✓ 125	S11 WITH provision\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 14:56
S15	✓ 2	"5872928".pn.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 14:56

S16	38757	synchronous\$3 ADJ1 optical\$1 OR SONET OR POS	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 14:57
S18	✓ 162	channel\$5 SAME un\$1channel\$5	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 16:42
S19	✓ 27	S16 AND S18	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 14:58
S20	✓ 10	un\$1channel\$5 WITH (virtual\$3 OR logical\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:58
S21	✓ 19	un\$1channel\$5 WITH port\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 15:16
S22	2924	card\$1 WITH slot\$1 WITH port\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 15:58
S23	8236	ADM OR (add\$1drop\$1 OR add ADJ2 drop) ADJ2 (mux\$3 OR multiplex\$4)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 15:17
S24	✓ 27	S23 AND S22	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 15:28
S28	✓ 190	S16 AND S22	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 15:31
S31	✓ 180	(data\$1link\$3 OR data ADJ1 link\$3) NEAR2 record\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:39
S32	31316	display\$3 WITH port\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:48

S35	64348	port\$1 WITH (config\$7 OR provision\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:40
S36	3965	S32 AND S35	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:40
S37	✓ 323	S32 AND S35 AND "370"/\$6. ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:32
S38	✓ 31	S32 AND S35 AND ("398"/\$6. ccls. OR "359"/\$6.ccls.)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:33
S40	28866	packet ADJ2 SONET\$1 OR packet\$1over\$1SONET\$1 OR POS	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:36
S41	681	S40 AND S32	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:36
S43	✓ 52	S40 AND S32 AND ("370"/\$6. ccls. OR "709"/\$6.ccls. OR "398"/\$6.ccls. OR "359"/\$6. ccls. OR "385"/\$6.ccls.)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:38
S44	150691	display\$3 WITH interface\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:48
S45	2883	S40 AND S44	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:48
S46	✓ 209	S40 AND S44 AND ("370"/\$6. ccls. OR "709"/\$6.ccls. OR "398"/\$6.ccls. OR "359"/\$6. ccls. OR "385"/\$6.ccls.)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:51
S48	✓ 254	un\$1channel\$6 OR un ADJ1 channel\$6	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:59

S49	✓ 8	S40 AND S48	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 13:03
S50	2275	S40 WITH (port\$1 OR interfac\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 13:03
S51	✓ 384	S40 WITH (port\$1 OR interfac\$3) SAME (config\$7 OR provision\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 13:13
S56	✓ 5	((("6115393") or ("6374293") or ("20020059407") or ("20030009547") or ("5471399")).PN	US-PGPUB ; USPAT	OR	OFF	2005/11/16 13:41
S57	1	("5872928").PN.	US-PGPUB ; USPAT	OR	OFF	2005/11/16 13:43
S58	418	S40 WITH channel\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 13:44
S59	✓ 107	S40 WITH channel\$1 AND ("370"/\$6.ccls. OR "709"/\$6.ccls. OR "398"/\$6. ccls. OR "359"/\$6.ccls. OR "385"/\$6.ccls.)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:27
S60	5935	concatenat\$4 WITH (OC\$3 OR ST\$3 OR STM\$3) OR OC\$3c OR ST\$3c OR STM\$3c	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:29
S61	2590	S60 AND (config\$7 OR provision\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:29
S62	✓ 384	S60 SAME (config\$7 OR provision\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:31
S63	✓ 43	S60 SAME (config\$7 OR provision\$3) AND S40	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:47
S64	1741	(display\$3 OR visual\$6) AND S60	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:47

S65	✓ 183	(display\$3 OR visual\$6) SAME S60	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:47
S66	✓ 10	(US-20020001307-\$ or US-20030101248-\$ or US-20030137532-\$ or US-20020165961-\$ or US-20020181493-\$) .did. or (US-6930890-\$ or US-6934749-\$ or US-6880086-\$) .did. or (EP-1313241-\$) .did. or (EP-1313241-\$) .did.	US-PGPUB ; USPAT; EPO; DERWENT	OR	OFF	2005/11/16 15:16
S67	✓ 3	S66 AND S40	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 15:16